LYNEA

Single-Panel Swing Door

SLYCMA Creation 2025 – Photos by Fabrice Ferrer – SLYCMA – Photos and illustrations are non-contractual.
Subject to change. Reproduction, even partial, is prohibited.

We have the right door for your lift !

Creation

Modernisation

LYNEA
Standard & panoramic

Key features

- Slycma Genalock lock
- No visible spot welding marks on the panel
- No grinding marks on the frame
- Door closer resistance to violent opening
- Panel behaviour in the event of impact compliant with the vandal-resistant standard EN 81-71

Single-panel landing door overall dimensions

Dimensions in mm

	LYNEA	
Clear Opening (CO)	**500 to 1300 mm (Pitch 50 mm)**	
Clear Height (CH)	Standard 2000 mm (mini 1840 - maxi 2200)	
Header	Standard 110 mm (mini 50 - maxi 450)	
Lock jamb	Standard 110 mm (mini 90 - maxi 450)	
Hinge jamb	Standard 110 mm (mini 70 - maxi 450)	
Number of hinges	2 standard (CH 500 to 850) 4 optional	4 standard from CH 900
Vision panel	Standard 70 x 1200 mm (panoramic CO - 150 X 1757 mm optional)	

LYNEA

Finishes

Sheet metal



Standard RAL 9005 Primer



Leather-grain stainless steel



Linen-textured stainless steel



Brushed stainless steel

Others finishes
Please contact us

Glass

Clear laminated glass 55-2



Fireproof Wired glass

Opal glass



Clear antelio glass



Bronze antelio glass

Accessories

Standard Natural aluminium



Black powder coating



Gold powder coating

Bronze n°5 powder coating

Bronze n°6 powder coating

Polished Gold finished

Sylver Chrome finish



Stainless steel (**)

(**) Available only for bar handle

Gold-tone Anodising

Champagn-tone Anodising

Haussmann handle (*)
Gold brass

(*) not customisable

Aluminium Bar handle

Stainless steel bar handle

Natural aluminium fin handle

THE LYNEA RANGE

Benefits

- Reliability, robustness, and guaranteed aesthetics
- Model designed as standard to fit all configurations
- Wide range of finishes, with accessories available in various materials, finishes, and colours
- Designed to meet customer expectations for a highly customisable product

- Easy and quick maintenance
- Proven reliability and durability
- Core range available from stock

Certifications

Certifications	LYNEA Standard vision panel	LYNEA Panoramic	LYNEA without vision panel
EN 81-58	E120	-	E120
EN 81-20 / 50	Compliant	Compliant	Compliant
EN 81-21	Compliant	Compliant	Compliant
EN 81-70	Compliant	Compliant	Compliant
EN 81-71	Compliant	-	Compliant
2014/33/UE	Compliant	Compliant	Compliant

Environments

Residential housing | Home lift | Social housing | Prestige

Slycma is a signatory of the Code of Good Practice established by the French Lift Federation, to which it has belonged since its creation.

Our quality approach :

Certified ISO 9001 and ISO 14001, Slycma is also regularly audited by its customers.

Contact details
Siège de LYON : 235 rue du Général de Gaulle - 69530 Brignais - Tél: +33 (0)4 78 86 81 00 - slycma@slycma.com
Agences de PARIS : 34 route de Longjumeau - 91380 Chilly Mazarin -Tél. : +33 (0)1 69 79 32 10 - magasin.mazarin@slycma.com
16 rue Maurice Thorez - 93200 SAINT DENIS - Tél. : +33 (0)1 48 23 91 92