

# LASER

3 & 4 Panel Car Door



We've got the perfect door to suit your lift !



Repair

# LASER

## Car doors 3PSO and 4PCO

### Key features

- Frequency inverter control
- Compatible with most swing doors on the market



### 3 & 4 Panel car door overall dimensions


Dimensions in mm

	LASER 3 - LASER 4					
Clear Opening (CO)	600	700	800	900	1000	1100
Clear Height (CH)	Standard 2000 (mini 1900 - maxi 2200)					
Intermediate clear opening	50 Pitch					
Sill width	Laser 3 = 90 (no modification possible) / Laser 4 = 96 (mini 73)					
Operator height	Laser 3 = 440 (560 with top-mounted motor option) / Laser 4 = 493 (632 with top-mounted motor option)					
Panel thickness	Laser 3 = 24 / Laser 4 = 25					
Control	SLYCMA Ariane control board					


# THE LASER RANGE

## Standard finishes


### Sheet metal




Standard RAL 9005  
primer



Leather-grain  
stainless steel




Linen-textured  
stainless steel



Brushed  
stainless steel

Others finishes  
Please contact us

### Glass (optional)



Clear laminated glass

## Benefits

- ✔ Guaranteed comfort and quiet operation.
- ✔ A model designed to adapt to all configurations.
- ✔ Full range of finishes available.
- ✔ Easy and quick maintenance.
- ✔ Proven durability and robustness.

## Environments

Residential housing

Social housing



Slycma is a signatory of the Code of Good Practice established by the French Lift Federation, to which it has belonged since its creation.

#### Our quality approach :

Certified ISO 9001 and ISO 14001, Slycma is also regularly audited by its customers.



#### Contact details

##### LYON Head Office

235 rue du Général de Gaulle  
69530 Brignais  
Tél: +33 (0)4 78 86 81 00  
slycma@slycma.com

##### PARIS Branches

34 route de Longjumeau  
91380 Chilly Mazarin  
Tél. : +33 (0)1 69 79 32 10  
magasin.mazarin@slycma.com

---

16 rue Maurice Thorez  
93200 SAINT DENIS  
Tél. : +33 (0)1 48 23 91 92