

Company :
 Order n° :
 Lift n° :
 Reference :
 Technical contact :
 Delivery address :

Delivery time requested

ORDER

QUOTATION

2 PANELS CENTRAL OPENING CAR DOOR

EN 81 - 20
EN 81-71 Category 2

Gaia 2V OC
CO 600 to 1500



According drawing 2821600

Qty : _____ CO : _____ CH : _____

- Automatic landing door unlocking
 - Gaia 2V OC
 - ☞ Fixing height under fastening brackets : _____ mm (Mini 0 mm - Maxi 300 mm)
 - Other height > : _____ (*) - Contact us for feasibility
 - Fixing kit on car roof (*)
 - 2 C-Shaped section + screws and bolts
 - standard SLYCMA (Car door CO + 150 mm)
 - according to car width : _____
 - Option 3rd fastening bracket
 - Opening strengthening jamb option for CO < 1200
- Vandal-resistant options (*)**

- Category 2 with anti-gripping and fast and slow panel's boxing on the whole height (Cowling of the lock contact included)
- Vandal-resistant unlocking device

Blocking between floors

Car door mechanical locking device between floors (*) : EN 81-20 - Article 5.2.5.3.1 (included in the standard production model)

Stainless steel finishing and glazing (*)

- AISI 304 brushed stainless steel cladding
- AISI 304 leather texture st. steel cladding
- AISI 304 linen stainless steel cladding

Sills

- Standard aluminium sill
- Iron sill (*)
- Non reinforced 304 brushed stainless steel sill with removing dust slots (*)
- 304 Reinforced stainless steel sill (*)

Toe guards (*)

- Large size toe guard (785mm)
 - Galvanized iron
 - 304L stainless steel
- Without toe guard supplying
- DELTACAP retractable toe guard
 - William (pit from 500 to 660 mm)
 - Jack 2 (pit from 660 to 780 mm)
 - Galvanized iron
 - 304L stainless steel
- Adaptation kit
- Contact cam kit

Options (*)

- Infrared cells curtain with fixing kit
- Kit for unlocking the lowest landing door from the botton of pit (EN 81-20)

• Literature French English German Italian

Miscellaneous

Attach the quotation with the order

(*) with extra cost and/or delivery time