



PRODUCT CONFORMITY COMMITMENT

1 - MANUFACTURER

Company : SLYCMA

Address : 235 rue du Général de Gaulle
69530 BRIGNAIS

Email : slycma@slycma.com

SIRET number : 972 509 210 00076

APE Code: 2822 Z

Telephone : + 33 0478 868 100

2 - CONCERNED PRODUCT RANGE

Type : **AUTOMATIC LANDING DOOR**

Trade name : **RHEA**

Number of panels : **2, 3, 4**

Opening : **Lateral and central**

Dimensions : **2 panels side opening from 600 to 1300 mm**
2 panels central opening from 600 to 1100 mm
3 panels side opening from 600 to 1100 mm
4 panels central opening from 600 to 1100 mm

1. Tests, trials and compliance analysis (NF EN 81- 20 / 50)	Compliant
2. Compliance with the requirements of Directive 2014/33/UE : Universal locking	Compliant
3. Fire resistance tests (NF EN 81-58 - Version May 2004) following range report number 11-A-046	E120 - EW 30
4. Installation in existing buildings (NF EN 81-21)	Compliant
5. Compliance with accessibility requirements (NF EN 81-70)	Compliant
6. Compliance analysis for vandal-resistant applications (NF EN 81-71) • Category 1 : Resistance tests following ch 5.3.1	Compliant in its reinforced execution

3 - SIGNATURE

First and last name : **Salvador JARA**

Function : **General Manager**

Signature :