



PRODUCT CONFORMITY COMMITMENT

1 - MANUFACTURER

Company : SLYCMA

Address : 4 route du Dôme - F - 69630 CHAPONOST

Email : slycma@slycma.com

SIRET Number: 972 509 210 00050

APE Code: 2822 Z

Telephone : + 33 0478 868 100

2 - CONCERNED PRODUCT RANGE

Type : **ARTICULATED SLIDING LANDING DOOR**

Trade name : **PAC 81 - PAC 81 «S»**

Number of panels : **Multiple**

Opening : **Lateral**

Dimensions : **Manual articulated sliding door from 700 to 2600 mm**

Simultaneous driving articulated sliding door from 700 to 2600 mm

Automatic articulated sliding door from 700 to 2600 mm

1. Tests, trials and compliance analysis (NF EN 81- 20 / 50)	Compliant
2. Compliance with the requirements of Directive 2014/33/UE : Locks GENALOCK UH, KRONENBERG, PRUDHOMME	Compliant
3. Fire resistance tests (NF EN 81-58 - Version May 2004) following range report number 11-A-169 for manual and simultaneous driving executions with GENALOCK UH locks	E120 - EW60
4. Installation in existing buildings (NF EN 81-21)	Compliant
5. Compliance with accessibility requirements (NF EN 81-70)	Compliant

3 - SIGNATURE

First and last name : **Salvador JARA**

Function : **General Manager**

Signature :