

FOLDING LANDING & CAR DOORS

4 Panels Centre Opening



Création SLYCMA 2025 - Photos Fabrice Ferrer - SLYCMA - Photos et illustrations non contractuelles.
Sous réserve de modifications. Reproduction, même partielle, interdite.



We have the right door for your elevator !




Creation



Modernisation

Automatic landing doors

- Flat closing
- Compact design
- Silent operation
- Compliant with EN 81-20 Aluminium profiles, available in anodized or RAL-painted finish
- Infill panels available in glass, stainless steel sheet, or RAL-painted finish




Dimensions in mm

Clear Opening	500	550	600	650	700	750	800	850	900	Other dimensions Contact us
Total width between uprights	572	622	672	722	772	822	872	922	972	
Sill width	120									
Header height	150									
Uprights	70 (standard) - Up to 150									
Overall dimensions	See product catalogue for details									


PLYPAL 4VBOC

Finishes


Sheet metal




RAL 9005
Standard



Leather grain engraved
stainless steel




Linen stainless steel



Brushed stainless steel

Other finishes
available upon
request

Glass



44-2 Tempered
laminated glass

Aluminium



Natural tone
anodizing



Gold tone
anodizing



Champagne tone
anodizing



Gold
polished




Chrome
finish




Thermocoating
Bronze No. 5




Thermocoating
Bronze No. 6



Thermocoating
Black



Thermocoating
Gold



Standard finish



Black glazed finish



Gold lacquered glazed finish



Stainless steel sheet finish


PLYCAB 4VBOC

With Skate

Car door combined with PLYPAL landing door

Key features

- Flat closing
- VVVF control
- Compact design
- Wide range of finishes matching PLYPAL



Space requirements – 4-panel folding car door

Dimensions in mm

Clear opening	500	550	600	650	700	750	800	850	900	Other dimensions Contact us
Total width between entrance sides	572	622	672	722	772	822	872	922	972	
Sill width	100									
Operator space requirement	100 x 292 (Depth x Height)									
Overall dimensions	See product catalogue for details									

THE FOLDING DOORS SERIES

Key benefits

- ✓ Flat closing of panels saves space on the landing
- ✓ Quiet and smooth operation
- ✓ Easy installation
- ✓ Improved accessibility thanks to symmetrical opening
- ✓ Possibility to create custom-made uprights and headers
- ✓ Maximum reliability ensured by the control board used on all our car doors
- ✓ Aesthetic appeal regardless of the finish
- ✓ Option to replace a swing door
- ✓ Ability to combine PLYPAL with existing swing doors on the same elevator
- ✓ The first folding landing door compliant with EN 81-20

Application environments

Private
residential

Hotels

Prestige buildings

Home lifts



Slycma is a signatory of the Code of Good Practices developed by the Elevator Federation, of which it has been a member since its inception.

Our quality approach :

Certified ISO 9001 and ISO 14001, Slycma is also regularly audited by its clients.



Contact Informations

Headquarters - LYON

235 rue du Général de Gaulle
69530 Brignais
Tél: +33 (0)4 78 86 81 00
slycma@slycma.com

Branches - PARIS

34 route de Longjumeau
91380 Chilly Mazarin
Tél. : +33 (0)1 69 79 32 10
magasin.mazarin@slycma.com

16 rue Maurice Thorez
93200 SAINT DENIS
Tél. : +33 (0)1 48 23 91 92